

Tennessee Department of Health Division of Laboratory Services Clinical Select Agent Rule-Out Submission Requisition

Place State Lab Accession Label Here

(TDH use only)

*Indicates Required Fields									
SPECIMEN INFORMATION									
*Last Name:	*Last Name:			*First N	lame:			MI:	
*Date of Birth:	Date of Birth:		*Gender: □ Male □ Fema			le			
Race: American Indian Asian Black Hawaiian/Pacific Islander White Other(r(Ethnicity: Hispanic Non Hispanic					
Address:				Medical			Medical Record	Number:	
City: *Cou			*County	ounty of Residence:			State:	Zip Code:	
*Date of Collection: *Speci			*Specim	imen Source:			*Specimen Type	e:	
SUBMITTER INFORMATION									
*Submitting Facility:						*Tel	ephone: ()		
Address:						•			
City:				State:			Zip Code:		
					l				
*Test Requested									
NOTIFICATION REQUIRED PRIOR TO SUBMISSION OF SAMPLE									
Select Agent Organism for Rule-Out									
□ Bacillus anthracis □ Coxi				oxiella burnetii Other					
□ <i>Brucella</i> species □			Clostridium botulinum						
□ Burkholderia mallei		□ Fı	□ Francisella tularensis						
□ Burkholderia pseudomallei		□ Yersinia pestis							
ADDITIONAL INFORMATION									
Please provide the following information with regard to isolates submitted:									
Gram Stain Reaction:				Addit			onal Comments:	:	
Catalase:	□ Positive □ Negative		9	□ Not Performed					
Oxidase:	□ Positive	□ Negative	e	□ Not F	Performed				
Urease:	□ Positive	□ Negative	e	□ Not F	Performed				
Indole:	□ Positive	□ Negative	9	□ Not F	Performed				
Motility:	□ Motile	□ Non-Mo	tile	□ Not F	Performed				
LABORATORY FACILITIES									
Nashville Laboratory: 630 Hart Lane, Nashville, TN 37216 (FedEx, UPS, courier delivery) Main Line: (615) 262-6300 Richard Steece, PhD, D(ABMM), Director Bioterrorism Coordinator: (615) 406-3792									
Knoxville Regional Laboratory: 2101 Medical Center Way, Knoxville, TN 37920 (865) 549-5201									
Shelby County Health Department: 814 Jefferson Avenue, Memphis, TN 38105 - Pamela Osborne, MD, Director (901) 222-9477									

PH-4263 RDA 2804